

American Cranberry (*Viburnum trilobum*)



Also called *Viburnum opulus* var. *americanum*, Highbush Cranberry This is not a true cranberry or low bush cranberry (*Vaccinium macrocarpon*, in the Heath family), this American cranberry bush is one of the showiest of our native *Viburnums*. The American cranberry bush produces an edible fruit that is somewhat similar in taste, color and ripening time to cranberries, thus its confusing name. This shrub grows 8'-12' high with an equal spread. Showy, snow-white, lace-cap type flowers, are fragrant and bloom in mid to late May. Beginning in September, bright red fruits serve as food for birds and wildlife. Fall foliage color may be yellow, red, orange or burgundy is just one of the many attributes of this large and attractive native shrub. Prefers good, well-drained, moist soil and partial shade to full sun. Native Range: BC east to Newfoundland, south to Washington state and east to northern Virginia. Native Habitat: cool moist woodlands, streambanks in wooded areas, sandy swamps, soggy thickets, edges of sandy marshes, forested bogs, and roadside ditches Alternative to the similar European cranberry-bush (*Viburnum opulus*) which has become an invasive plant in some areas. Use Wildlife: Songbirds, gamebirds, small mammals. The berries are a winter-survival food because they remain on the branches above the snow. Attracts: Birds , Butterflies. Larval Host: Spring Azure size: 2 year, 18-24" bare root \$15 for 5 Photo Credits:

1. Rob Routledge, Sault College, Bugwood.org
2. <http://www.nwplants.com>

Price: \$15 for 5

American Hazelnut (*Corylus americana*)




Also called American Filbert American Hazelnut produces edible nuts for humans and wildlife, that are easy to open. Mature height of 15'–18' and a spread of 10'–12'. Fast growing. Can produce nuts 2 years after planting.

Plant in multiples to ensure pollination. Leaves turn orange to red or purple in fall. Sun/Part

Sun/Native/Attracts Birds/Attracts Mammals size: 1 year, 12-18" bare root / price: \$15 for 5

Price: \$15 for 5

Black Choke



Shrub with white 5
Glossy, dark green
Long lasting black/p
4'-8' wide. Grows w
sucker and form co
will tolerate a range
compacted, low fer
drought. Sometime
windbreaks in wette
be prepared correct
antioxidants, the be
Russia and eastern
baked goods, jams,
Americans used the
common name refe
berries, which may
sweetener, or mixin
"Preserving *Aronia*
Scientific Insight" o
the berries causes t
reducing their astrin

mammals browse the astringent berries only when other food sources dwindle in late winter. Native to Great Lakes region, Northeastern US and higher elevations in Appalachians. Native Habitat: Lowlands; bogs; dunes; cliffs. Flowers attract small bees and fruits attract birds. 6-12" bare root seedlings- \$10 for 5
Price: \$10 for 5 plants



Black Eyed-Susan "Goldblitz" (Rudbeckia hirta)

Hardy, sturdy, powerhouse bloomer, highly adaptable to different soil types. Rabbit, deer, disease and drought resistant, a boon to butterflies. Deadhead spent flowers to encourage additional flowers to form.

image gratefully borrowed from the Select Seeds website catalog. Select Seeds is based just over the state line in Union, CT and is a great place to buy flower seeds and plants. <https://www.selectseeds.com/>

Price: \$24 for 3

Black Walnut




Also known as Eastern Walnut A beautiful tree for humans and wildlife. Walnuts are edible but the green husk is not. Black walnut, which comes from the tree, will provide edible nuts. Black walnut wood is highly valued. Over-harvesting has occurred. Care must be taken when harvesting the plant. The tree releases a chemical found in the leaves called juglone, an example of allelopathy, the inhibition of one plant by another.

due to the release into the environment of biochemicals acting as germination or growth inhibitors. Many garden vegetables, fruits and conifers are susceptible to juglone. These include serviceberries, chestnuts, pines, arborvitae, apples, cherries, tomatoes, potatoes, peas, peppers, cabbages, alfalfa, blueberries, blackberries, azaleas, rhododendron, lilacs, hydrangeas, privets and plants in the heath family--if planted too close. Grows in Sun, Part Shade, Moist, rich soils. Native range is eastern US, Massachusetts south but not northern New England. Hosts over 20 types of caterpillars and many insects. Nuts are eaten by squirrels and chipmunks. \$12 for 3 12-18" bare root seedlings

Price: 3 for \$12

Blue False Indigo (Auricularia australis)



Native in US as far as
Perennial typically
woods, thickets and
purple, lupine-like fl
atop flower spikes e
mound of clover-like
(leaflets to 2" long)
way to inflated seed
charcoal black whe
ornamental interest
blackened pods wh
children as rattles.
additions to dried fl
average, dry to me
part shade. Tolerat
time, plants develo
deep and extensive
shearing foliage aft

plant appearance and obviates a possible need for staking, but eliminates the developing seed pods which are so attractive. \$24 for 3 pots

Description adapted from [Missouri Botanical Garden](#). Images from USDA.

Price: \$24 for 3

Blue-Eyed Grass (*Sisyrinchium angustifolium*)



Not actually a grass, but in the iris family, with 1/2" light purple-blue 6-petaled flowers blooming in late spring. Will colonize readily via self-sowing in the right conditions. Height: 10-18". Prefers moist sites, but adaptable. \$24 for 3 pots, Massachusetts supplier.

images from Arthur Haines, Native Plant Trust/Go Botany and Jem

Price: \$24 for 3 pots

Buttonbush



Also known as butte
Semi-aquatic native
out in spring. It has
the size of a gumba
flowers that bloom
last about 1 month,
that turn red and ev
seedheads last and
12', tall, 4'-8' wide.
partial sun. Grows i
and standing water
important. Special v
bees including bum
insects, moths inclu

sphinx. Fruits are eaten by waterfowl, and birds.
Native to eastern US and Canada, and Mexico.
Scattered populations in southwestern US. size: 1 year,
18-24" bare root seedlings \$15 for 5

Price: \$15 for 5 plants



Christmas Fern (*Polystichum acrostichoides*)

Found growing naturally in rich rocky woods, along stream banks, in swamps or thickets to a height of 2 to 3 feet in a fountain-like form. The fern produces black spores on the underside of the leaf but not all fronds are fertile. The fertile fronds are narrower at the tip. Curled fiddleheads of new leaves emerge silvery in the spring. Best grown in organically rich, dry to medium moisture, well-drained soils in part shade to full shade. The clumps will increase in size over time, but does not tend to spread easily. In mass plantings, can be used to combat soil erosion on slopes. It provides winter cover near the ground for songbirds who also use parts and scale-like hairs in nest construction. Crown rot problems can occur in poorly drained soils, particularly in the winter. **3 bare root crowns for**

\$15 Photo credit: Don Cameron via GoBotany/Native Plant Trust

Price: \$15 for 3 bare root dormant crowns



Downy Rattlesnake Plantain (*Goodyera pubescens*)

Downy rattlesnake plantain an evergreen perennial in the orchid family, has attractive deep blue-green leaves with distinctive silvery veins. A single flower stalk, 16-20" tall rises from the center of each rosette of leaves in summer. Tiny, white to greenish-white, rounded flowers bloom from July to mid-September. Flowers are followed by small fruit capsules. All parts of the plant are covered with very fine downy hair. Easily grown in organically rich, medium moisture, well-drained soils in part shade to full shade, best with sun-dappled part shade. Mulch to maintain consistent soil moisture. Native to both moist and dry woods in the eastern US.

Photo credit: Arthur Haines

Price: \$15 for 3



Dutchman's (*Cucullaria*)

A spring woodland plant with white flowers early in the season. After the woodland floor becomes dry in early summer, the plant goes into total dormancy.

While closely related to *Lamprocapnos spectabilis*, it is not as adaptable as that species.

This native plant requires a cool, yet well-drained site in a woodland. Soils that are rich in clay component are preferred. \$15 for 3 dormant,

Photo credits: Bill Cull

via GoBotany/Native Plant Trust

Price: \$15 for 3

Eastern Bluestar (*Amsonia tabernaemontana*)



Massachusetts Supplier! Atypical Farm brings us excellent quality 4" potted perennials for a third year.

"Blue Ice" is clump-forming, with pyramidal clusters of star-like, blue flowers in spring.

Grows 15-18" tall. Attractive bright yellow foliage in fall. Native to the southern and southeastern United States, and northern Mexico, but its natural range does not reach New England. It may be found on lake shores in Massachusetts, probably escaped from gardens where it is grown as an ornamental. **3 for \$24 plants**

Images from GoBotany/Native Plant Trust

Price: \$24 for 3 plants

Fragrant Sumac (*Rhus aromatica*)



Glossy, blue-greenish, trifoliolate leaves turn orange, red, purple and yellow in fall. Reaches 6-12 feet tall.

Catkin-like flowers precede dark red berries that can persist into March. size: 18-24" bare root, \$15 for 5

images courtesy of Arthur Haines and Bill Cullina, Native Plant Trust

Price: \$15 for 5



Highbush Blueberry (*Vaccinium corymbosum*)

Wild highbush blueberries are predominately found in wetland margins, moist woods, bogs, swamps and low areas. Berries mature in August - try to beat the birds. Many birds, including catbirds, scarlet tanagers, and thrushes, relish the berries. As do bears. Old shrubs can take on an interesting, gnarled appearance with a spreading crown.

The upright, deciduous shrub native to eastern North America. Mature plants will reach around 5-8' tall with an equal spread and a dense, rounded habit. Foliage flashes bright shades of coppery red in fall. Loose clusters ("corymbs") of white-pale pink, pendulous, urn-shaped flowers bloom in spring. The round, sweet berries are dark blue to purple, have a dull, blue-grey bloom on their surface, and incorporate the sepals. For best fruit production, you will want to plant several within 10-25 foot of each other. These are not named varieties, so not bred for bountiful harvests. These rooted cuttings come from Michigan. 1 year old rooted cuttings, 6-12" - 10 for \$35

Price: \$35 for 10



Ninebark (*Physocarpus opulifolius*)

Physocarpus opulifolius is an upright, spreading shrub closely related to the dogwood. It occurs along streams and in moist thickets. Growth is rapid. It has exfoliating bark (on older stems) that strips to reveal several layers of inner bark. Bark pr

usually hidden by the foliage during the growing season. Features small pink or white, five-petaled flowers appearing in dense, flat, rounded, 1-2" diameter, spirea-like clusters (corymbs) in late spring. Flowers give way to drooping clusters of reddish fruit (inflated seed capsules). Ovate to rounded, usually 3-5 lobed leaves (to 4" long) are dull green in summer changing to an undistinguished yellow in fall. Easily grown in average, slightly acidic, dry to medium moisture, well-drained soil in full sun to part shade. Tolerates a wide range of soil conditions. Prune as needed immediately after bloom and no later than mid-August. Plants may be cut close to the ground in early spring to rejuvenate. Ninebark is an excellent plant to promote wildlife. The flowers are a good source of nectar and visited by a wide variety of insects, among them flies, beetles, butterflies, moths, bees, and wasps. The foliage provides food for several species of aphids, beetles, plant bugs, and caterpillars of various moths. Also, it is occasionally browsed by deer. The seeds might attract birds. Use in shrub borders, as a hedge, screen or for erosion control on banks. Able to grow in harsh conditions. **Five 12-18" bare root plants for \$25**

Image credit: Arthur Haines via

GoBotany/Native Plant Trust

Price: \$25 for 5

Northern Bayberry (*Myrica pensylvanica* or *Morella pensylvanica*)



Easily grown in average, dry to medium, well-drained soils in full sun to part shade. Prefers moist, peaty or sandy, acidic soils, but tolerates a wide range of soils and growing conditions, including poor soils, wet soils, drought, high winds and salt spray (seashore or road salt conditions). Groupings of plants need a least one male plant to facilitate pollination of the female plants and subsequent fruit set. Shrubs tend to sucker, and may form sizable colonies in optimum growing conditions.

Deep green foliage is semi-evergreen. Leaves aromatic when crushed. Waxy gray berries in fall and winter can be used to make candles. Mature height 5'-10' tall and wide. Great choice for poor sandy soils. New supplier for 2024. size: 12-18" bare root, **\$20 for 5**

Price: \$20 for 5



Partridgeberry (*Morella repens*)

Native evergreen ground cover with green foliage, flowers and scarlet fruits. Grows in gardens, under acid rain, and in part shade areas of woods. Not particularly aggressive. Great choice for large areas. Scarlet fruits are readily consumed by a variety of birds. Bare root, dormant plant.

Images: flowers and fruit. Plant Trust; fruit: Arthrop

foliage: Jem

Price: \$15 for 3

Pink Tickseed (*Coreopsis rosea*)



Also known as Pink Coreopsis, or Pink Threadleaf Coreopsis The foliage is light green, delicate fine leaved, yet dense. It is covered with numerous small pink flowers with yellow centers in mid-summer. This profuse and lengthy bloomer flowers summer through early fall can be cut back in late summer to promote new early Autumn flowers. An excellent ground cover or mounding border plant, Rose Coreopsis spreads easily. Full sun, moist to wet soils, mature height 18" – 24" tall. 24-36" wide Native from Nova Scotia to Maryland Habitat wet sandy soils coastal plain areas. Birds eat the seeds. Grows in full sun. \$24 for 3 pots

Main image by Arthur Haines, Native Plant Trust/go Botany Gallery Images <https://www.gardenia.net/plant/coreopsis-rosea> and F. D. Richards Licensed under [CC BY-SA 2.0](https://creativecommons.org/licenses/by-sa/2.0/)

Price: \$24 for 3 pots



Pollinator Mix Pack

Two each of the following native species attractive to pollinators: **2- 12-18" Choke Cherry (*Prunus virginiana*)**, **2- 12-18" American Plum (*Prunus americana*)** , **2- 12-18" Meadowsweet (*Spiraea alba*)**, **2- 12-18" Pasture Rose (*Rosa carolina*)**, **2- 12-18" Red Osier Dogwood (*Cornus stolonifera*)**
10 bare root plants \$60

Price: \$60 for 10 plants

Pussy willow (*Salix discolor*)



Favorite sign of spring, the fuzzy catkins of pussy willow appear before leaves in late winter. Flowers are yellow stamens with green styles that bloom time February -March. The plant is a shrub or small tree with bluish-green shiny leaves. Grows 20' tall 18' wide. Recommended to cut back every few years. Grows in full sun, partial shade, tolerates wet locations. Native across Midwest and Northeast US and Canada Use Wildlife: Early season harvest for songbirds, waterfowl and small mammals. Attracts butterflies, and is a larval host for 2, the Mourning Cloak and the Viceroy Special value to honey bees and native bees including bumble bees. size:24"-36" bare root seedlings \$25 for 5

Price: \$25 for 5



Red Elderberry (*Sambucus racemosa*)

Red elderberry is a shrub with small openings; its seeds are hard and take several years until a gap opens in the canopy, sometimes on "nursery" plants. It is eaten by mammals (such as deer) and birds. The juicy fruits and leaves are bitter and contain a chemical, which is toxic to deer and other ungulates. It is planted on streambanks to control erosion and attract pollinators. It grows in full sun, part sun.

Bright red berries not palatable to humans as are the more common *Sambucus nigra*, with its dark berries,

Size: 1 year, 6-12" Price: 5 for \$10

Price: \$10 for 5



Red Oak (*Quercus rubra*)

Native to Massachusetts. Shade tree with wildlife value-acorns and shoots. Russet red leaves in fall. Tolerates wide range of soils. Intermediate shade tolerance.

Valuable timber species used in construction, flooring, and furniture. A source of food for wildlife, it starts fruiting at age 25 and produces substantial crops after 50 years. Acorns germinate in the spring following seedfall. Native Americans utilized northern red oak as medicine for numerous ailments. The largest known specimen grows in Monroe County, NY.

3 year old, 5-10" **5 for \$10**

Price: \$10 for 5

Red Osier D (stolonifera)



Easily recognized in the spring it has sh Blooms in mid-May July-August. White display in autumn. and will form a thic 3', depending on lig color occurs on ster to retain color. Ada

to dry, and tolerant of flooding and wet soils. Native to all of US and Canada except south central plains into Texas. Attracts birds. 6-12" bare root seedlings , **\$10 for 5**

Price: \$10 for 5 plants



Sassafras (Sassafras albidum)

Tall shrub or tree produces three shapes of leaves: a mitten-shaped leaf with one large lobe and a small "thumb"; an oval leaf, and a three-lobed leaf. Native to Massachusetts. Grows in full sun or part shade. The wood is soft but flexible. Aromatic leaves, twigs, and roots attractive to wildlife for berries and foliage. Tolerates wide range of soils, but a little fussy about transplanting, so offer extra attention.

12-18" bare root seedlings, 5 for \$20

Price: \$20 for 5



Sessile-leaved bellflower (Sessilifolia)

Sessile-leaved bellflower can be found in deciduous forests, woodlands in England. It can be grown in part shade, as the soil is moist, rich, acidic soil with good drainage but not

flowers are yellow or cream and hang in an elongated bell shape. Cover with a layer of leaves in winter and do not remove them in the spring to increase humus to the soil. If the goal is to create a ground cover, allow the existing plants to seed out each year, seeding itself. Over time, the area will fill in. 3 dormant, bare root plants for \$15 **Image credit:** Don Cameron and Arthur Haines, via GoBotany/Native Plant Trust
Price: \$15 for 3

Spicebush (*Lindera benzoin*)



Shade-loving bush grows 6'-12' tall. Aromatic stems and leaves. Pale yellow flowers yield bright red berries in the fall which are enjoyed by all types of wildlife. The green leaves turn a vibrant yellow in the fall. Native, partial sun/shade, moist soil. Attracts birds, butterflies, native bees and pollinators. 12-18" bare root, **5 for \$18** Native, Partial Sun/Shade, Moist Soil
Price: \$18 for 5



Steeplebush

Spiraea tomentosa, a suckering deciduous shrub with slightly larger spread than the flowers in dense, narrow spikes (to 4-8" long) in mid-summer to early fall. Attracts butterflies. Native to boggy areas, marshes, and swamps. Nova Scotia to Ontario and Georgia. Elliptic to ovate (to 3" long) with coarsely serrated

both ends and densely tomentose (yellowish-brown hairs) beneath. Images thanks to Dan Wilder
<https://norcrosswildlife.org/>


Price: \$15 for 5



Trailing Arbutus (*Epigaea repens*)

The famously finicky to cultivate state flower of Massachusetts. Be sure your site is appropriate before planting-do your homework. Trailing-arbutus is slow-growing. It can form a creeping mat of about 4-6 in. high. Broad, oval, leathery leaves are aromatic and evergreen. Trumpet-shaped, white to pale pink flowers, also aromatic, are followed by a whitish berry, resembling a raspberry in appearance. It grows best in part shade in dry to moist, acidic, sandy to rocky soils with moderate organic matter. Delicate roots make it very difficult to establish and perpetuate. It will not tolerate disturbance, is extremely susceptible to failure during drought or flood, and is slow-growing even in good conditions. Natural habitats: edges of oak-heath and pine forests. It favors exposed sites where the plants are not smothered by leaf litter. 3 dormant bare root starts for \$15

Price: \$15 for 3 dormant, bare root plants



Wetland Mix Pack

Two each of the following native species suited to wet areas: **2- 12-18" Spice Bush (*Lindera benzoin*)**, **2- 12-18" Pussy Willow (*Salix discolor*)**, **2- 12-18" Button Bush (*Cephalanthus occidentalis*)**, **2-12-18" Nannyberry (*Viburnum lentago*)**, **2- 12-18" River Birch(*Betula nigra*)** 10 bare root plants - \$55

Price: 10 plants for \$55



White Pine (*Pinus strobus*)

WHITE PINE, *Pinus strobus* – The iconic conifer of the Northeast. Its valuable timber is used for molding and trim, as well as siding and occasionally dimensional lumber. This species has supple branches with long, soft needles and can also be planted for Christmas trees. Tolerates a variety of soils and grows well throughout NH and New England. Cottontail rabbits and porcupines, eat the bark. Red squirrels can eat the cones by extracting the seeds. Seeds are eaten by birds and white tailed deer. Seedling height: 3-6 inches. Mature height: to 100 feet plus. All images are from Jem and are free to use by anyone forever

Price: \$12 for 5



Wildlife Mix Pack

Two each to the following native species attractive to wildlife: **2- 6-12" Swamp White Oak (*Quercus bicolor*)**, **2- 6-12" American Hazelnut (*Corylus americana*)**, **2- 6-12" Ninebark (*Physocarpus opulifolius*)**, **2- 6-12" American Plum (*Prunus americana*)**, **2- 6-12" Red Osier Dogwood (*Cornus stolonifera*)** 10 bare root plants \$40

Price: \$40 for 10 plants

Winterberry (*Ilex verticillata*)



Vivid red winter berries used for Christmas décor and winter food source for songbirds. Glossy dark green leaves. Grows 5' - 15' high and wide at maturity. Good choice for shadier wet locations, but also thrives in full sun. All soil types even wet and compacted. Low pH. Native to US east of MN and TX up to Nova Scotia
Native Habitat: Swamps, Stream, river banks, Near lakes or ponds
Flowers bloom May - July and Nectar is valuable for insect, special value to honey bees. Fruit is winter food for birds. Please note that winterberry plants grow as either male or females plants. Only the female plants produce berries and one male plant is needed for pollination to produce the berries. The grower does not separate male and female plants. So we do not know what mix of male and female plants you will receive. If you want to be certain you have a male pollinator so you get berries, you can always buy a known male at a nursery and plant it within 50'.
Sun/Partial Sun/Native/Attracts Butterflies/Attracts Birds in winter. 18-24" bare root seedlings, 5 for \$20

Price: \$20 for 5



Woodland/Wild/Alpine Strawberry (*Fragaria vesca*)

Compact, stemless, 4-8" tall plant. Tri-foliolate, coarsely-toothed, green leaves. Numerous, small, 5-petaled white flowers with yellow centers appear throughout summer, followed by small, sweet strawberries all summer long.

Best grown in humusy, fertile, medium moisture, well-drained soil in full sun to part shade. Prefers full sun. Great garden edge/lawn alternative. May self-seed if fruit is not harvested. First year stays in clumps, will eventually spread via runners. These are cultivars "Mignonette" and/or "Rugens Improved", not native straight-species wild strawberries. Three 4" pots for \$24. Massachusetts Supplier.

images from Jem

Price: \$24 for 3



Yellow Osier Dogwood (*Cornus sericea*)

Cornus sericea – Soil/site: moist. Uses: stream bank erosion control. Fruit: clusters of white berries in July-August. Wildlife values: fruit preferred by many species of songbirds and game birds. Tolerates partial shade. The bright yellow twigs seen in the winter are browsed by deer, moose, rabbits. Mature height: up to 12 feet. 1 year, 6-12" bare root seedlings, \$10 for 5

Price: \$10 for 5
